

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	484	control\$4 near10 server\$1 near10 (email e adj mail\$3) and @ad<"20020112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/03 08:55
L2	91	control\$4 near10 server\$1 near10 (email e adj mail\$3) and @ad<"20020112" and 709/206.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/03 09:44
L3	1780	provid\$4 near10 servic\$4 near10 (email e adj mail\$3) and @ad<"20020112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/03 09:03
L4	6871208	control\$4 (provision\$4 provid\$4) near10 servic\$4 near10 (email\$1 e adj mail\$3) and @ad<"20020112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/03 09:04
L5	45	control\$4 near10 (provision\$4 provid\$4) near10 servic\$4 near10 (email\$1 e adj mail\$3) and @ad<"20020112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/03 09:11
L6	1	control\$4 near10 (provision\$4 provid\$4) near10 servic\$4 near10 (email\$1 e adj mail\$3) and @ad<"20020112" and 709/206.ccls. and 709/223-226,229.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/03 09:04
L7	258	control\$4 near10 servic\$4 near10 (email\$1 e adj mail\$3) and @ad<"20020112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/03 09:14
L8	3363	stor\$4 near10 data near10 (email\$1 e adj mail\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/03 09:13
L9	254	control\$4 near10 stor\$4 near10 data near10 (email\$1 e adj mail\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/03 09:13

L10	196	(control controlling) near10 servic\$4 near10 (email\$1 e adj mail\$3) and @ad<"20020112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/03 09:37
L11	11	(control controlling) near10 servic\$4 near10 (email\$1 e adj mail\$3) and @ad<"20020112" and 709/223-226.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/03 09:36
L12	20	"5933604"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/03 09:33
L13	11	"5933604" and (mail\$4 email\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/03 09:34
L14	17	(control controlling) near10 servic\$4 near10 send\$4 near10 (email\$1 e adj mail\$3) and @ad<"20020112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/03 09:37
L15	37	(control controlling) near10 servic\$4 near10 (transmit\$4 send\$4) near10 (email\$1 e adj mail\$3) and @ad<"20020112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/03 09:41
L16	6	using near10 (email\$1 e adj mail\$3) near10 monitor\$4 near10 servic\$4 and @ad<"20020112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/03 09:42
L17	12	using near10 (email\$1 mail\$3) near10 monitor\$4 near10 servic\$4 and @ad<"20020112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/03 09:42
L18	40	709/217-219.ccls. and 709/223-226.ccls. and 709/206. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/03 09:57
L19	366	updat\$4 near10 server\$4 near10 (email\$4 mail\$4) and @ad<"20020112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/03 09:59

L20	274	updat\$4 near10 servic\$4 near10 (email\$4 mail\$4) and @ad<"20020112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/03 10:00
L21	0	retriev\$4 near10 data near10 (mail\$4 email\$4) near10 subject\$4 near5 GET	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/03 10:00
L22	18	retriev\$4 near10 data near10 (mail\$4 email\$4) and subject\$4 near5 GET	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/03 10:01
L23	318	send\$4 near10 (mail\$4 email\$4) same control\$4 near10 servic\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/03 10:08
L24	77	send\$4 near10 (mail\$4 email\$4) same control\$4 near10 servic\$4 and "709"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/03 10:08
L25	51	send\$4 near10 (mail\$4 email\$4) same control\$4 near10 servic\$4 and "709"/\$.ccls. and @ad<"20020112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/03 10:09
L26	13	user\$1 near10 send\$4 near10 (mail\$4 email\$4) same control\$4 near10 servic\$4 and "709"/\$.ccls. and @ad<"20020112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/03 10:11
L27	0	user\$1 near10 send\$4 near10 (mail\$4 email\$4) same control\$4 near10 servic\$4 and "709"/\$.ccls. and @ad<"20020112" not I26	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/03 10:11
L28	38	I25 not I26	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/03 10:26
L29	210	709/223-226.ccls. and 709/206.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/03 10:26

L30	4	709/223-226.ccls. and 709/206.ccls. AND "5819110"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/03 10:26
L31	55	"5819110"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/03 10:41
L32	776	(mail\$4 email\$4) near10 (proxy proxies)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/03 10:48
L33	375	l32 and command\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/03 10:48
L34	52	l32 same command\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/03 10:51
L35	115	subject near5 GET and (mail email)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/03 10:51
L36	39	subject near5 GET and (mail email) and @ay<"2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/03 10:54
L37	1	subject near5 GET and (mail email) and vax	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/03 10:59
L38	0	subject near5 filename\$1 and (mail email) and vax	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/03 10:55
L39	19	subject near5 filename\$1 and (mail email)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/03 10:55

L40	1	subject near10 GET and (mail email) and vax	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/03 10:59
L41	151	subject near10 GET and (mail email)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/03 10:59
L42	4	subject near10 send and (mail email) and vax	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/03 11:01
L43	64	(proxy proxies) same control\$4 near10 servic\$4 near10 (mail\$1 email\$4 messag\$5) and @ad<"20020112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/03 11:03
L44	6	(proxy proxies) same control\$4 near10 servic\$4 near10 (mail\$1 email\$4) and @ad<"20020112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/03 11:09
L45	3	(proxy proxies) same control\$4 near10 device\$4 near10 (mail\$1 email\$4) and @ad<"20020112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/03 11:14
L46	2	"2002099808"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/03 11:17
L47	15929	@pd="20020725"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/03 11:17
L48	2	@pd="20020725" and sangroniz	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/03 11:19
L49	5	"6182227"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/03 11:28

L50	89	(proxy proxies) near10 (send\$4 transmit\$4) near10 (command\$1) near10 (device\$1 server\$1 computer\$1) and @ad<"20020112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/03 11:30
L51	3535	(proxy proxies server\$1) near10 (send\$4 transmit\$4) near10 (command\$1) near10 (device\$1 server\$1 computer\$1) and @ad<"20020112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/03 11:31
L52	761	(proxy proxies server\$1) near10 (send\$4 transmit\$4) near10 (command\$1) near10 control\$4 near10 (device\$1 server\$1 computer\$1) and @ad<"20020112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/03 11:33
L53	5	(proxy proxies server\$1) near10 (send\$4 transmit\$4) near10 (command\$1) near10 control\$4 near10 (device\$1 server\$1 computer\$1) and @ad<"20020112" and 709/206.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/03 11:33
L54	78	709/206.ccls. and 713/200-202.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/03 13:09
L55	0	709/206.ccls. and 713/200-202.ccls. and 714/1-4.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/03 13:10